


Change : Amended coordinate and radial format.

JEJU/Intl(RKPC) ILS Z or LOC Z RWY 07 CAT II


II	S/LOC Approach to RWY 07 from YU	JMIN (IAF)	
F	ix/point	Coord	dinates
YUMIN (IAF)		33°27'25.7"N	126°13'15.5"E
KONDE (IF)		33°25'03.0"N	126°18'31.0"E
5.3D ICJU (FAP)	- BRG 65.21°/5.34NM ICJU	33°27'17.6"N	126°22'51.8"E
2.6D ICJU (SDF LOC only)	- BRG 65.21°/2.60NM ICJU	33°28'43.8"N	126°25'39.3"E
1.4D ICJU (MAPt LOC only)	- BRG 65.21°/1.40NM ICJU	33°29'21.6"N	126°26'52.7"E
THR RWY 07		33°29'59.57"N	126°28'06.50"E
DME ICJU		33°30'09.0"N	126°28'15.7"E
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E
4D YDM	- BRG 65.21°/4.00NM YDM	33°32'42.4"N	126°33'23.4"E
PAION	- BRG 95.00°/22.00NM YDM	33°31'18.0"N	126°55'34.0"E



Change : Amended coordinate and radial format.

JEJU/Intl(RKPC) ILS Y or LOC Y RWY 07 CAT II

	LS/LOC Approach to RWY 07 from AI		
	ix/point		dinates
ANBIN (IAF)	- 12DME ARC /12.00NM YDM	33°31'21.5"N	126°14'55.3"E
10.5D ICJU (IF)	- BRG 65.21°/10.50NM ICJU	33°24'35.0"N	126°17'36.8"E
5.3D ICJU (FAP)	- BRG 65.21°/5.34NM ICJU	33°27'17.6"N	126°22'51.8"E
2.6D ICJU (SDF LOC only)	- BRG 65.21°/2.60NM ICJU	33°28'43.8"N	126°25'39.3"E
1.4D ICJU (MAPt LOC only)	- BRG 65.21°/1.40NM ICJU	33°29'21.6"N	126°26'52.7"E
THR RWY 07		33°29'59.57"N	126°28'06.50"E
DME ICJU		33°30'09.0"N	126°28'15.7"E
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E
4D YDM	- BRG 65.21°/4.00NM YDM	33°32'42.4"N	126°33'23.4"E
PAION	- BRG 95.00°/22.00NM YDM	33°31'18.0"N	126°55'34.0"E



JEJU/Jeju Intl(RKPC) RNAV(GNSS) RWY 07


AERONAUTICAL DATA TABULATION

Remarks	IAF	۳	FAF	SDF	MAPt		·	1 min (Outbound timina)
Navigation specification	RNP APCH							
VPA/ TCH	ı		ı	·	-3.00/50	ı	ı	ı
Coordinates	33°27'25.7"N 126°13'15.5"E	33°25'03.0"N 126°18'31.0"E	33°27'15.3"N 126°22'47.5"E	33°28'24.5"N 126°25'01.8"E	33°29'59.6"N 126°28'06.5"E	33°32'42.3"N 126°33'23.4"E	33°31'18.0"N 126°55'34.0"E	33°31'18.0"N 126°55'34.0"E
Speed (kt)					•		•	-230
Altitude (ft)	+4 000	+2 900	+1 800	+1 000	+540	ŗ		-9 000 +8 000
Turn direction	•	ı	ı	ı	•	ı	ı	~
Distance (NM)		5.0	4.2	2.2	3.0	5.2	18.6	
Waypoint Fly- Course/Track Identifier °M(°T)	ı	125(118.3)	065(058.4)	065(058.4)	065(058.4)	065(058.5)	101(094.2)	275(268.2)
Fly- over	1	•		•	≻	•	7	7
	YUMIN	KONDE	TEWOO	PC401	RW070	PC404	PAION	PAION
Serial Path Number Descriptor	۳	TF	TF	TF	TF	Ŧ	Ŧ	ММ
Serial Number	001	002	003	004	005	900	007	008

HOLDING PROCEDURE	RE											
Holding Identification	Path Descriptor	Waypoint Identifier	Fly- over	Fly- over °M(°T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remar
RNAV(GNSS) RWY 07	WH	NIWIN	٢	125(118.3)	1.0	٦	-7 000 +4 000	-230	33°27'25.7"N 126°13'15.5"E	-	RNAV 1	I


arks

Instrument Approach Procedure Coding Tables



JEJU/Intl(RKPC) VOR RWY 07


	VOR Approach to RWY 07 from ANE	BIN (IAF)	
	Fix/point	Coord	dinates
ANBIN (IAF)	- 12DME ARC /12.00NM YDM	33°31'21.5"N	126°14'55.3"E
12.0D YDM (IF)	- BRG 63.89°/12.00NM YDM	33°24'10.5"N	126°17'12.1"E
8.4D YDM (SDF)	- BRG 63.89°/8.40NM YDM	33°26'07.9"N	126°20'48.9"E
6.3D YDM (FAF)	- BRG 63.89°/6.30NM YDM	33°27'16.3"N	126°22'55.4"E
4.5D YDM (SDF)	- BRG 63.89°/4.50NM YDM	33°28'14.9"N	126°24'43.9"E
2.4D YDM (MAPt)	- BRG 63.89°/2.40NM YDM	33°29'23.3"N	126°26'50.6"E
THR RWY 07		33°29'59.57"N	126°28'06.50"E
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E
4D YDM	- BRG 64.00°/4.00NM YDM	33°32'51.3"N	126°33'16.9"E
PAION	- BRG 95.00°/22.00NM YDM	33°31'18.0"N	126°55'34.0"E



Change : Amended coordinate and radial format.

JEJU/Jeju Intl(RKPC) ILS Z or LOC Z RWY 25

IL	S/LOC Approach to RWY 25 from HA	NUL (IAF)	
Fi	ix/point	Coord	dinates
HANUL (IAF)		33°38'58.6"N	126°45'38.8"E
ESIBO (IF)	- BRG 245.35°/5.00NM	33°36'21.9"N	126°40'32.2"E
5.3D ICHE (FAP)	- BRG 245.23°/5.34NM ICHE	33°33'36.4"N	126°35'08.7"E
1.0D ICHE (MAPt LOC only)	- BRG 245.23°/1.00NM ICHE	33°31'20.0"N	126°30'43.0"E
THR RWY 25		33°30'53.56"N	126°29'51.51"E
DME ICHE		33°30'52.1"N	126°29'39.4"E
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E
7.0D YDM	- BRG 245.23°/7.00NM YDM	33°26'59.7"N	126°22'08.6"E
15.0D YDM	- BRG 244.94°/15.00NM YDM	33°22'45.9"N	126°14'01.5"E
GIEUN	- BRG 263.84°/21.00NM YDM	33°21'11.1"N	126°06'52.2"E




Change : Amended coordinate and radial format.

A | P Republic of Korea JEJU/Jeiu Intl(RKPC)

JEJU/Jeju Intl(RKPC) ILS Y or LOC Y RWY 25

ILS/LOC	Approach to RWY 25 from DELIS (IAF	⁼) or PAION (IAF)	
F	ix/point	Coord	dinates
DELIS (IAF)	- 16DME ARC /16.00NM YDM	33°43'16.2"N	126°41'08.0"E
PAION (IAF)	- 22DME ARC /22.00NM YDM	33°31'18.0"N	126°55'34.0"E
10.5D ICHE (IF)	- BRG 245.35°/10.50NM ICHE	33°36'18.2"N	126°40'24.9"E
5.3D ICHE (FAP)	- BRG 245.23°/5.34NM ICHE	33°33'36.4"N	126°35'08.7"E
1.0D ICHE (MAPt LOC only)	- BRG 245.23°/1.00NM ICHE	33°31'20.0"N	126°30'43.0"E
THR RWY 25		33°30'53.56"N	126°29'51.51"E
DME ICHE		33°30'52.1"N	126°29'39.4"E
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E
7.0D YDM	- BRG 245.23°/7.00NM YDM	33°26'59.7"N	126°22'08.6"E
15.0D YDM	- BRG 244.94°/15.00NM YDM	33°22'45.9"N	126°14'01.5"E
GIEUN	- BRG 263.84°/21.00NM YDM	33°21'11.1"N	126°06'52.2"E



Change : Amended coordinate format.

A I P Republic of Korea JEJU/Jeju Intl(RKPC) RNAV(GNSS) RWY 25


AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

Remarks	IAF	Ł	FAF	MAPt			1 min (Outbound timing)
Navigation specification	RNP APCH						
VPA/ TCH	ı	-	•	-3.00/50	-		•
Coordinates	33°38'58.6"N 126°45'38.8"E	33°36'21.9"N 126°40'32.2"E	33°33'38.6"N 126°35'13.1"E	33°30'53.6"N 126°29'51.5"E	33°22'44.4"N 126°14'03.0"E	33°21'11.1"N 126°06'52.2"E	33°21'11.1"N 126°06'52.2"E
Speed (kt)		•			ļ		-210
Altitude (ft)	+4 000	+2 900	+1 800	+520	ļ	ı	-11 000 +6 000
Turn direction	ı	ı	•	•	ı	•	_
Distance (NM)	ı	5.0	5.2	5.3	15.5	6.2	
Path Waypoint FIy- Course/Track Distance sscriptor Identifier over °M(°T) (NM)	ı	245(238.6)	245(238.6)	245(238.5)	245(238.5)	262(255.6)	070(063.2)
Fly- over	ı	•	1	≻		۲	~
Waypoint Identifier	HANUL	ESIBO	SARHA	RW250	PC403	GIEUN	GIEUN
Serial Path Waypoint Fly- Number Descriptor Identifier over	۳	ΞL	TF	TF	TF	ΤF	٨H
Serial Jumber	100	002	003	004	005	900	007

	Remarks	I
	Navigation specification	RNAV 1
	VPA/ TCH	
	Coordinates	33°38'58.6"N 126°45'38.8"E
	Speed (kt)	-230
	Altitude (ft)	-7 000 +4 000
	Turn direction	۷
	TIME (min)	1.0
	Course/Track °M(°T)	245(238.6)
	Fly- over	≻
	Waypoint Identifier	HANUL
ш	Path Descriptor	ΨH
HOLDING PROCEDURE	Serial Number	RNAV(GNSS) RWY 25

Change : Amended coordinate format.



Change : Amended coordinate and radial format.

VOR RWY 25

	VOR Approach to RWY 25 from DELIS (IAF)	or PAION (IAF)		
	Fix/point	Coordinates		
DELIS (IAF)	- 16DME ARC/16.00NM YDM	33°43'16.2"N	126°41'08.0"E	
PAION (IAF)	- 22DME ARC/22.00NM YDM	33°31'18.0"N	126°55'34.0"E	
10.8D YDM (IF)	- BRG 246.10°/10.80NM YDM	33°36'12.8"N	126°40'22.1"E	
5.7D YDM (FAF)	- BRG 246.10°/5.70NM YDM	33°33'36.4"N	126°35'07.1"E	
1.5D YDM (MAPt)	- BRG 246.10°/1.50NM YDM	33°31'27.2"N	126°30'47.4"E	
THR RWY 25		33°30'53.56"N	126°29'51.51"E	
YDM VOR/DME		33°30'41.3"N	126°29'15.3"E	
15.0D YDM	- BRG 246.00°/15.00NM YDM	33°22'59.4"N	126°13'51.7"E	
GIEUN	- BRG 250.00°/21.00NM YDM	33°21'11.1"N	126°06'52.2"E	