


AIRCRAFT PARKING /
DOCKING CHART - ICAO

APRON ELEV 6 m

TWR	118.8	118.2
GND	121.7	121.75
APRON	121.65	122.175 121.8 121.875

SEOUL / Incheon Intl



Note 1
For Gate 11 and 42, pilots need to pay extra caution to follow the lead-in lines, which may require more than two turns.
Note 2
Aircraft shall not taxi into maneuvering area without clearance from Incheon Tower or Ground.

HS 01	AIRCRAFT TAXIING ON TAXIWAY J FROM RUNWAY 15L AFTER LANDING USE CAUTION WHEN ATC UTILIZES RUNWAY 15R FOR TAKEOFFS, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 15R WITHOUT ATC AUTHORIZATION.
HS 02	AIRCRAFT TAXIING ON TAXIWAY K FROM RUNWAY 33R AFTER LANDING USE CAUTION WHEN ATC UTILIZES RUNWAY 33L FOR TAKEOFFS, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 33L WITHOUT ATC AUTHORIZATION.
HS 03	AIRCRAFT TAXIING ON TAXIWAY J FROM TAXIWAY D FOR TAKEOFF RUNWAY 33L USE CAUTION WHEN ATC UTILIZES RUNWAY 33R FOR LANDINGS, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 33R WITHOUT ATC AUTHORIZATION.
HS 04	AIRCRAFT TAXIING ON TAXIWAY K FROM TAXIWAY D FOR TAKEOFF RUNWAY 15R USE CAUTION WHEN ATC UTILIZES RUNWAY 15L FOR LANDINGS, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 15L WITHOUT ATC AUTHORIZATION.
HS 05	AIRCRAFT TAXIING ON TAXIWAY S FROM TAXIWAY N OR M FOR TAKEOFF RUNWAY 34 USE CAUTION WHEN ATC CHANGES RUNWAY 34 FROM LANDING RUNWAY TO DEPARTURE RUNWAY, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 34 WITHOUT ATC AUTHORIZATION.
HS 06	AIRCRAFT TAXIING ON TAXIWAY N8 FROM TAXIWAY N OR M FOR TAKEOFF RUNWAY 16 USE CAUTION WHEN ATC CHANGES RUNWAY 16 FROM LANDING RUNWAY TO DEPARTURE RUNWAY, DO NOT CROSS THE HOLDING MARKING FOR RUNWAY 16 WITHOUT ATC AUTHORIZATION.

HS 51, 52
WHEN AIRCRAFT IS HOLDING BEFORE TAXIWAY A OR M, OTHER AIRCRAFT SHALL PAY EXTRA CAUTION WHILE TAXIING AROUND A HOT SPOT.
HS 53 - 69
AIRCRAFT SHALL PAY EXTRA CAUTION TO WATCH OUT VEHICLES WHILE TAXIING AROUND A HOT SPOT. AIRCRAFT SHALL PAY EXTRA CAUTION NOT TO PROCEED BEYOND THE ATC SERVICE BOUNDARY (MANEUVERING AREA) WITHOUT CLEARANCE FROM INCHON GROUND(TOWER) OR APRON.

LEGEND

	Runway holding position
	Taxi lane
	Gate
	Remote stand
	Open Channel
	ATC service boundary (Maneuvering Area)
	Hot Spot

	SURFACE	WIDTH	STRENGTH
APRON	Concrete	-	PCN 86/R/B/X/T
TWY A, D	Concrete	30 m Shoulder : 15 m - Paved : 12 m - Turfed : 3 m	PCN 86/R/B/X/T
TWY B, C	Asphalt	-	PCN 88/F/B/X/T
TWY M	Concrete	30 m Shoulder : 15 m	PCN 85/R/B/W/T
TWY N	Asphalt	- Paved : 15 m	PCN 75/F/B/W/T

Taxiway edge lights on all taxiways curve area
Taxiway center line lights on all taxiways
PAX Terminal and Concourse A VDGs equipped

Change : Information of HS(51, 52, 55, 57), Establishment of ACFT stand NR. 653~655, Withdrawal of de-icing pad NR. 824.

Apron 1

	INS COORDINATES FOR AIRCRAFT STANDS			STAND AVAILABILITY
	WGS-84		ELEV(AMSL)	
1	37°26'59.01"N	126°27'21.53"E	5 m	C
2	37°26'59.38"N	126°27'23.37"E	5 m	C
3	37°27'00.33"N	126°27'24.14"E	5 m	C, D
6	37°27'01.79"N	126°27'23.98"E	5 m	C, D, E
7	37°27'02.98"N	126°27'23.02"E	5 m	C, D, E
8	37°27'03.62"N	126°27'20.95"E	5 m	C, D, E, F
9	37°27'03.96"N	126°27'18.19"E	5 m	C, D, E
10	37°27'04.12"N	126°27'15.38"E	5 m	C, D, E, F
11	37°27'04.19"N	126°27'12.44"E	5 m	C
12	37°27'06.48"N	126°27'08.52"E	5 m	C, D, E, F
14	37°27'09.00"N	126°27'07.74"E	5 m	C, D, E
15	37°27'11.32"N	126°27'07.15"E	5 m	C, D, E, F
16	37°27'13.32"N	126°27'07.12"E	5 m	C
17	37°27'14.82"N	126°27'05.90"E	5 m	C, D, E, F
18	37°27'15.19"N	126°27'04.57"E	5 m	C
19	37°27'13.98"N	126°27'02.66"E	5 m	D, E
20	37°27'13.32"N	126°27'00.96"E	5 m	C, D
21	37°27'11.65"N	126°27'01.52"E	5 m	D, E
22	37°27'10.19"N	126°27'02.56"E	5 m	C, D, E
23	37°27'07.88"N	126°27'03.21"E	5 m	C, D, E
24	37°27'05.55"N	126°27'04.60"E	5 m	C, D, E
26	37°27'01.98"N	126°27'02.98"E	5 m	D, E
27	37°27'00.61"N	126°27'00.33"E	5 m	C, D, E
28	37°26'58.98"N	126°26'57.90"E	5 m	C, D, E
30	37°26'59.02"N	126°26'52.99"E	5 m	C, D, E
31	37°27'00.76"N	126°26'50.75"E	5 m	C, D, E
32	37°27'02.09"N	126°26'48.30"E	5 m	C, D, E
33	37°27'03.49"N	126°26'46.48"E	5 m	C, D, E
34	37°27'04.47"N	126°26'44.84"E	5 m	C, D
35	37°27'03.10"N	126°26'43.40"E	5 m	C, D, E
36	37°27'01.99"N	126°26'41.98"E	5 m	C, D
37	37°27'00.42"N	126°26'42.00"E	5 m	C, D
38	37°26'59.63"N	126°26'43.22"E	5 m	C, D
39	37°26'59.22"N	126°26'45.25"E	5 m	D, E
40	37°26'57.92"N	126°26'47.76"E	5 m	D, E
41	37°26'56.42"N	126°26'50.64"E	5 m	C, D, E
42	37°26'52.80"N	126°26'52.08"E	5 m	C
43	37°26'50.53"N	126°26'51.16"E	5 m	C, D, E, F
45	37°26'48.40"N	126°26'50.48"E	5 m	C, D
46	37°26'46.20"N	126°26'50.12"E	5 m	C, D, E, F
47	37°26'44.31"N	126°26'49.97"E	5 m	C, D, E
48	37°26'43.08"N	126°26'51.58"E	5 m	C, D, E
49	37°26'42.96"N	126°26'53.31"E	5 m	D, E
50	37°26'44.24"N	126°26'55.57"E	5 m	C, D, E
103	37°27'29.61"N	126°27'00.02"E	5 m	C, D
105	37°27'28.47"N	126°26'58.60"E	5 m	C, D
107	37°27'27.37"N	126°26'55.96"E	5 m	C, D, E
109	37°27'26.01"N	126°26'53.56"E	5 m	C, D, E
111	37°27'24.37"N	126°26'50.65"E	5 m	C, D, E
113	37°27'23.01"N	126°26'48.25"E	5 m	C, D, E
115	37°27'21.35"N	126°26'46.10"E	5 m	C, D
117	37°27'20.09"N	126°26'43.75"E	5 m	C, D
119	37°27'18.68"N	126°26'41.24"E	5 m	D
121	37°27'17.57"N	126°26'38.62"E	5 m	C, D, E
123	37°27'16.21"N	126°26'36.21"E	5 m	C, D, E
125	37°27'14.44"N	126°26'33.47"E	5 m	C, D, E
127	37°27'12.93"N	126°26'31.20"E	5 m	C, D
129	37°27'11.95"N	126°26'28.78"E	5 m	C, D
131	37°27'10.96"N	126°26'27.53"E	5 m	C, D, E
132	37°27'11.83"N	126°26'26.00"E	5 m	C, D


Apron 2

	INS COORDINATES FOR AIRCRAFT STANDS			STAND AVAILABILITY
	WGS-84		ELEV(AMSL)	
101	37°27'31.17"N	126°26'57.99"E	5 m	C, D
102	37°27'32.40"N	126°26'56.80"E	6 m	C, D
104	37°27'31.69"N	126°26'55.45"E	6 m	C, D
106	37°27'30.28"N	126°26'54.22"E	5 m	C, D, E, F
108	37°27'29.12"N	126°26'51.63"E	6 m	C, D, E
110	37°27'27.40"N	126°26'49.17"E	6 m	C, D, E, F
112	37°27'25.76"N	126°26'46.27"E	6 m	C, D, E, F
114	37°27'24.79"N	126°26'43.46"E	6 m	C, D
118	37°27'20.81"N	126°26'36.98"E	6 m	C, D, E
122	37°27'19.02"N	126°26'34.35"E	6 m	C, D, E, F
124	37°27'17.52"N	126°26'31.69"E	5 m	C, D, E
126	37°27'16.02"N	126°26'29.04"E	5 m	C, D, E, F
128	37°27'15.04"N	126°26'26.25"E	5 m	C, D
130	37°27'13.78"N	126°26'24.86"E	5 m	C, D, E
301	37°27'43.56"N	126°26'48.00"E	5 m	A - C
302	37°27'42.93"N	126°26'45.65"E	5 m	A - E
303	37°27'41.57"N	126°26'42.23"E	5 m	A - E
304	37°27'40.15"N	126°26'40.52"E	5 m	A - F
305	37°27'38.29"N	126°26'37.44"E	5 m	A - E
306	37°27'36.87"N	126°26'34.71"E	5 m	A - F
307	37°27'35.39"N	126°26'32.36"E	5 m	A - D
308	37°27'34.27"N	126°26'30.39"E	5 m	A - D
309	37°27'33.16"N	126°26'28.41"E	5 m	A - D
310	37°27'31.88"N	126°26'25.88"E	5 m	A - F
311	37°27'30.02"N	126°26'22.80"E	5 m	A - E
312	37°27'28.59"N	126°26'20.08"E	5 m	A - F
313	37°27'27.02"N	126°26'17.49"E	5 m	A - E
314	37°27'25.66"N	126°26'15.08"E	5 m	A - E
315	37°27'24.10"N	126°26'13.57"E	5 m	A - C
231	37°27'53.50"N	126°25'53.73"E	6 m	C, D, E, F
232	37°27'50.63"N	126°25'55.11"E	6 m	C, D, E, F
233	37°27'48.07"N	126°25'56.43"E	6 m	C, D, E, F
234	37°27'45.25"N	126°25'57.65"E	6 m	C, D, E, F
235	37°27'43.43"N	126°25'58.43"E	6 m	C, D, E
236	37°27'41.63"N	126°25'59.34"E	5 m	C
237	37°27'41.95"N	126°26'00.49"E	5 m	C
238	37°27'41.95"N	126°26'02.41"E	5 m	C
239	37°27'42.57"N	126°26'03.75"E	5 m	C
240	37°27'43.84"N	126°26'03.91"E	5 m	C
241	37°27'45.11"N	126°26'04.57"E	6 m	C, D, E
242	37°27'46.48"N	126°26'03.41"E	6 m	C, D, E
243	37°27'48.32"N	126°26'02.55"E	6 m	C
245	37°27'48.94"N	126°26'00.76"E	6 m	C
246	37°27'51.45"N	126°25'59.22"E	6 m	C, D, E
247	37°27'55.00"N	126°25'59.73"E	6 m	C, D, E
248	37°27'57.26"N	126°26'02.24"E	6 m	C, D, E
249	37°27'58.75"N	126°26'04.92"E	6 m	C, D, E
250	37°27'59.11"N	126°26'07.52"E	6 m	C
251	37°28'01.48"N	126°26'09.77"E	6 m	C, D, E
252	37°28'03.09"N	126°26'12.43"E	6 m	C, D, E
253	37°28'04.15"N	126°26'15.83"E	6 m	C, D, E
254	37°28'03.39"N	126°26'20.27"E	6 m	C, D, E
255	37°28'00.46"N	126°26'23.80"E	6 m	C, D, E
256	37°28'00.53"N	126°26'25.00"E	6 m	C, D, E
257	37°28'01.41"N	126°26'26.21"E	6 m	C, D, E
258	37°28'02.99"N	126°26'27.91"E	5 m	C
259	37°28'03.25"N	126°26'27.99"E	5 m	C
260	37°28'04.99"N	126°26'28.63"E	5 m	C
261	37°28'06.31"N	126°26'30.31"E	5 m	C
262	37°28'07.71"N	126°26'32.14"E	6 m	C
263	37°28'09.44"N	126°26'34.54"E	6 m	E
264	37°28'11.34"N	126°26'36.95"E	6 m	C, D, E, F
265	37°28'13.48"N	126°26'39.36"E	6 m	C, D, E, F
266	37°28'15.50"N	126°26'41.77"E	6 m	C, D, E, F
267	37°28'17.61"N	126°26'44.18"E	5 m	A - C
268	37°28'19.79"N	126°26'46.59"E	5 m	A - E
321	37°27'51.51"N	126°26'40.93"E	5 m	A - C
322	37°27'49.79"N	126°26'39.36"E	5 m	A - E
323	37°27'48.43"N	126°26'36.95"E	5 m	A - E
324	37°27'47.07"N	126°26'34.54"E	5 m	A - E
325	37°27'45.71"N	126°26'32.14"E	5 m	A - E
326	37°27'44.35"N	126°26'29.73"E	5 m	A - E
327	37°27'42.99"N	126°26'27.32"E	5 m	A - E
328	37°27'42.44"N	126°26'24.88"E	5 m	A - C
329	37°27'41.09"N	126°26'22.49"E	5 m	A - C
330	37°27'39.46"N	126°26'21.08"E	5 m	A - E
331	37°27'38.10"N	126°26'18.68"E	5 m	A - E
332	37°27'36.74"N	126°26'16.27"E	5 m	A - E
333	37°27'35.38"N	126°26'13.86"E	5 m	A - E
334	37°27'34.02"N	126°26'11.46"E	5 m	A - E
335	37°27'32.66"N	126°26'09.05"E	5 m	A - E
336	37°27'32.05"N	126°26'06.50"E	5 m	A - C
341	37°28'17.61"N	126°26'24.10"E	5 m	A - F
342	37°28'19.79"N	126°26'22.18"E	5 m	A - F
343	37°28'21.77"N	126°26'20.42"E	5 m	A - E
344	37°28'23.69"N	126°26'18.71"E	5 m	A - E
345	37°28'25.46"N	126°26'17.14"E	5 m	A - D
346	37°28'26.85"N	126°26'15.84"E	5 m	A - C
347	37°28'28.93"N	126°26'14.87"E	5 m	A - C
351	37°28'53.23"N	126°25'41.00"E	5 m	A - F
352	37°28'55.39"N	126°25'39.07"E	5 m	A - F
353	37°28'57.37"N	126°25'37.31"E	5 m	A - E
354	37°28'59.29"N	126°25'35.60"E	5 m	A - E
355	37°28'01.06"N	126°25'34.02"E	5 m	A - D
356	37°28'02.47"N	126°25'32.76"E	5 m	A - C
357	37°28'03.55"N	126°25'31.80"E	5 m	A - C

Apron 3

	INS COORDINATES FOR AIRCRAFT STANDS			STAND AVAILABILITY
	WGS-84		ELEV(AMSL)	
231	37°27'53.50"N	126°25'53.73"E	6 m	C, D, E, F
232	37°27'50.63"N	126°25'55.11"E	6 m	C, D, E, F
233	37°27'48.07"N	126°25'56.43"E	6 m	C, D, E, F
234	37°27'45.25"N	126°25'57.65"E	6 m	C, D, E, F
235	37°27'43.43"N	126°25'58.43"E	6 m	C, D, E
236	37°27'41.63"N	126°25'59.34"E	5 m	C
237	37°27'41.95"N	126°26'00.49"E	5 m	C
238	37°27'41.95"N	126°26'02.41"E	5 m	C
239	37°27'42.57"N	126°26'03.75"E	5 m	C
240	37°27'43.84"N	126°26'03.91"E	5 m	C
241	37°27'45.11"N	126°26'04.57"E	6 m	C, D, E
242	37°27'46.48"N	126°26'03.41"E	6 m	C, D, E
243	37°27'48.32"N	126°26'02.55"E	6 m	C
245	37°27'48.94"N	126°26'00.76"E	6 m	C
246	37°27'51.45"N	126°25'59.22"E	6 m	C, D, E
247	37°27'55.00"N	126°25'59.73"E	6 m	C, D, E
248	37°27'57.26"N	126°26'02.24"E	6 m	C, D, E
249	37°27'58.75"N	126°26'04.92"E	6 m	C, D, E
250	37°27'59.11"N	126°26'07.52"E	6 m	C
251	37°28'01.48"N	126°26'09.77"E	6 m	C, D, E
252	37°28'03.09"N	126°26'12.43"E	6 m	C, D, E
253	37°28'04.15"N	126°26'15.83"E	6 m	C, D, E
254	37°28'03.39"N	126°26'20.27"E	6 m	C, D, E
255	37°28'00.46"N	126°26'23.80"E	6 m	C, D, E
256	37°28'00.53"N	126°26'25.00"E	6 m	C, D, E
257	37°28'01.41"N	126°26'26.21"E	6 m	C, D, E
258	37°28'02.99"N	126°26'27.91"E	5 m	C
259	37°28'03.25"N	126°26'27.99"E	5 m	C
260	37°28'04.99"N	126°26'28.63"E	5 m	C
261	37°28'06.31"N	126°26'30.31"E	5 m	C
262	37°28'07.71"N	126°26'32.14"E	6 m	C
263	37°28'09.44"N	126°26'34.54"E	6 m	E
264	37°28			

Multiple use stands operation



INS COORDINATES FOR AIRCRAFT STANDS				
		WGS-84		ELEV(AMSL)
231	L	37°27'53.63"N	126°25'52.33"E	6 m
	R	37°27'53.49"N	126°25'54.22"E	6 m
232	L	37°27'50.70"N	126°25'53.65"E	6 m
	R	37°27'50.51"N	126°25'55.53"E	6 m
236	R	37°27'42.18"N	126°26'00.21"E	6 m
239	R	37°27'43.60"N	126°26'03.66"E	6 m
258	R	37°27'57.53"N	126°26'28.40"E	6 m
261	L	37°28'06.75"N	126°26'24.13"E	6 m
	R	37°28'06.14"N	126°26'22.44"E	6 m
267	L	37°28'08.58"N	126°26'21.11"E	6 m
	R	37°28'08.28"N	126°26'19.65"E	6 m
268	L	37°28'10.56"N	126°26'18.63"E	6 m
	R	37°28'10.51"N	126°26'17.04"E	6 m
304	L	37°27'38.98"N	126°26'40.51"E	6 m
	R	37°27'39.74"N	126°26'41.85"E	6 m
306	L	37°27'35.70"N	126°26'34.70"E	6 m
	R	37°27'36.46"N	126°26'36.04"E	6 m
310	L	37°27'30.71"N	126°26'25.87"E	6 m
	R	37°27'31.47"N	126°26'27.22"E	6 m
311	L	37°27'29.03"N	126°26'22.91"E	6 m
	R	37°27'29.79"N	126°26'24.25"E	6 m
341	L	37°28'17.68"N	126°26'22.79"E	6 m
	R	37°28'16.61"N	126°26'23.75"E	6 m
351	L	37°27'53.15"N	126°25'42.29"E	6 m
	R	37°27'54.22"N	126°25'41.34"E	6 m



Stand NR	Availability
231L/R, 232L/R, 266L/R, 267L/R, 268L/R, 304L/R, 306L/R, 310L/R, 311L/R, 341L/R, 351L/R	Available for aircraft up to "C" code.
236R, 239R, 258R, 261R	Available for aircraft up to "F" code.

For details, please contact to confirm with "the Apron Mgmt. Unit" at the telephone number 82-32-741-2991.

Note	Code letter	Wing span
"B": Refer to Annex 14 to the Convention on International Civil Aviation, Volume I, Chapter 1, Table 1-1 "Aerodrome reference code".	E	52 m up to but not including 65 m
	D	36 m up to but not including 52 m
	C	24 m up to but not including 36 m
	B	15 m up to but not including 24 m

Change : Withdrawal of ACFT stand NR. 228.

Multiple use stands operation












Stand NR	Availability
612L/R 801A/B/C/D, 802A/B/C/D, 803L/R, 821L/R, 841A/B/C/D, 851A/B/C/D	Available for all aircraft up to "B" code. [length(overall) up to 32.5 m]
645L/R, 646L/R, 647L/R, 648R, 652L/R, 814A/B, 816A/B	Available for aircraft up to "C" code.
648L, 831L/R	Available for aircraft up to "D" code.

For details, please contact to confirm with "the Apron Magt. Unit" at the telephone number 82-32-741-2991.








Note.	Code letter	Wing span
"B": Refer to Annex 14 to the Convention on International Civil Aviation, Volume I, Chapter 1, Table 1-1 "Aerodrome reference code".	E	52 m up to but not including 65 m
	D	36 m up to but not including 52 m
	C	24 m up to but not including 36 m
	B	15 m up to but not including 24 m

INS COORDINATES FOR AIRCRAFT STANDS				
		WGS-84		ELEV(AMSL)
612	L	37°28'05.21"N	126°28'18.18"E	6m
	R	37°28'04.18"N	126°28'16.78"E	6m
645	L	37°28'21.42"N	126°27'36.56"E	7 m
	R	37°28'20.73"N	126°27'35.34"E	7 m
646	L	37°28'22.78"N	126°27'38.96"E	7 m
	R	37°28'22.09"N	126°27'37.74"E	7 m
647	L	37°28'24.13"N	126°27'41.35"E	6 m
	R	37°28'23.45"N	126°27'40.15"E	7 m
648	L	37°28'26.59"N	126°27'46.05"E	6 m
	R	37°28'25.86"N	126°27'44.13"E	6 m
652	L	37°28'33.02"N	126°27'56.81"E	6 m
	R	37°28'32.21"N	126°27'55.36"E	6 m
801	A	37°28'34.92"N	126°26'07.33"E	5 m
	B	37°28'33.60"N	126°26'08.50"E	5 m
	C	37°28'33.98"N	126°26'05.67"E	5 m
	D	37°28'32.66"N	126°26'06.84"E	5 m
802	A	37°28'33.23"N	126°26'04.34"E	5 m
	B	37°28'31.91"N	126°26'05.52"E	5 m
	C	37°28'32.24"N	126°26'02.58"E	5 m
	D	37°28'30.91"N	126°26'03.76"E	5 m
803	L	37°28'30.04"N	126°26'00.40"E	5 m
	R	37°28'30.70"N	126°26'01.56"E	5 m
814	A	37°27'52.47"N	126°26'20.28"E	6 m
	B	37°27'51.40"N	126°26'21.24"E	6 m
816	A	37°27'47.86"N	126°26'12.13"E	6 m
	B	37°27'46.79"N	126°26'13.08"E	6 m
821	L	37°27'03.14"N	126°27'35.59"E	5 m
	R	37°27'02.29"N	126°27'36.35"E	5 m
831	L	37°26'29.79"N	126°26'49.74"E	5 m
	R	37°26'31.88"N	126°26'47.88"E	5 m
841	A	37°27'23.62"N	126°28'10.93"E	6 m
	B	37°27'22.41"N	126°28'12.00"E	6 m
	C	37°27'22.50"N	126°28'08.93"E	6 m
	D	37°27'21.29"N	126°28'10.01"E	6 m
851	A	37°29'06.79"N	126°26'39.17"E	5 m
	B	37°29'05.55"N	126°26'40.28"E	5 m
	C	37°29'05.65"N	126°26'37.20"E	5 m
	D	37°29'04.43"N	126°26'38.28"E	5 m



INCHEON DEICING	123.575		
PAD CONTROL	121.875 (AS,MS,DS,DN)	122.175 (TC)	122.325 (AN,MN)
ICE MAN	122.225		

Deicing zones operation



Note >

The Pilot stop line marking is located on all deicing pads to help stop without marshalling, where the transverse bar indicates the cockpit stop position. (see figure on the right)

