

AIRCRAFT PARKING /
DOCKING CHART - ICAO


APRON ELEV
105 ft

TWR 126.2
GND 121.95

DAEGU/Daegu INTL

ELEVATIONS IN FEET
DIMENSION IN METERS
BEARINGS ARE MAGNETIC

VAR 8° W 2016
ANNUAL RATE OF CHANGE
4' W



LEGEND	
AIRCRAFT STAND	1 5
TAXIWAY LIGHT	●
SLIDING GATE	—

STANDS NR	INS COORDINATES FOR AIRCRAFT STANDS (WGS-84)	
1	35°54'03.85"N	128°38'14.77"E
2	35°54'03.03"N	128°38'16.24"E
3	35°54'02.22"N	128°38'17.71"E
4	35°54'01.13"N	128°38'19.17"E
5	35°53'59.13"N	128°38'20.38"E
6	35°53'58.38"N	128°38'21.74"E
7	35°53'57.62"N	128°38'23.11"E
8	35°53'56.86"N	128°38'24.48"E
9	35°53'56.10"N	128°38'25.85"E
10	35°53'55.37"N	128°38'27.19"E
31	35°54'06.23"N	128°38'15.57"E



APRON		BEARING STRENGTH
NORTH APRON (STAND 1, 2, 3, 4)		PCN 58/R/B/W/T CONCRETE
SOUTH APRON (STAND 5, 6, 7, 8, 9, 10)		PCN 60/R/B/W/T CONCRETE
DE-ICING PAD (STAND 31)		PCN 59/F/B/X/T ASPHALT
TWY F1	WIDTH 23 m	PCN 60/R/B/W/T CONCRETE

STAND NR	STAND AVAILABILITY
4	Available for "C" and "D" (See note)
1 to 3	Available for "C"
5 to 10	Available for "C"

Note
Code "C" and "D" : refer to Annex 14
Table 1-1 Aerodrome reference code

Code letter	Wing span
C	24 m up to but not including 36 m
D	36 m up to but not including 52 m

* Due to inadequate safety margin between the taxiway center line and the rear of the parked aircraft "D", Aircraft "D" is only available for entering or parking on stand.



INTENTIONALLY

LEFT

BLANK