


AIRCRAFT PARKING/  
DOCKING CHART - ICAO

APRON ELEV  
19 m

TWR 122.5  
GND 118.525

YEOSU / Yeosu



APRON	BEARING STRENGTH
APRON 1	PCN 70/R/C/W/T Concrete
APRON 2	PCN 67/F/C/X/T Asphalt
APRON 3	PCN 67/F/C/X/T Asphalt

TWY	WIDTH	BEARING STRENGTH
A, B, P(BTN A & stand NR 4 behind)	23 m	PCN 67/F/C/X/T Asphalt
C, P(BTN B & C)	23 m	PCN 67/F/C/X/T Asphalt
P(stand NR 3 behind & BTN B)	23 m	PCN 70/R/C/W/T Concrete
G	15 m	PCN 24/F/B/X/T Asphalt

\*ISOLATED AREA : TWY A

STANDS NR	INS COORDINATES FOR AIRCRAFT STANDS(WGS-84)	ACFT TYPE	BEARING STRENGTH
1	34°50'13.56"N 127°36'50.14"E	A321	PCN 70/R/C/W/T
2	34°50'15.86"N 127°36'48.99"E		
3	34°50'29.61"N 127°36'49.98"E		
4	34°50'30.97"N 127°36'49.13"E		
5	34°50'32.72"N 127°36'48.27"E		

Change : Information of bearing strength(TWY C, P and Apron 3) and ACFT type.