

**INSTRUMENT
APPROACH
CHART - ICAO**


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45


**ULJIN/ULjin(RKTL)
ILS Z or LOC Z RWY 17**

Note : Approach under ICAO Flight Procedures.

129°30'E



ELEV, ALT IN FEET
DIST IN NM
BRG ARE MAG
VAR 8° W




- NOTE**
1. RNAV 1 operation.
 2. GNSS required.
 3. ATS surveillance service required.
 4. DME required on an ILS/LOC approach.
 5. Cross UMNAE at 220 kt IAS or less.

RECOMMENDED PROFILE(LOC ONLY)	DME IUJS	5	4	3	2
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 777 (1 602)	1 455 (1 280)	1 132 (957)	810 (635)

TRANSITION ALT 14 000
TRANSITION LVL FL 140

MISSED APPROACH
Climb straight ahead until TLO45 then turn left to BANYA and hold at 6 000 ft.



NM FROM THR RWY 17	11 NM	5 NM	2 NM	THR RWY 17
--------------------	-------	------	------	------------

CATEGORY	DA(H)/MDA(H)	A				B				C				D				
		800 m				1 200 m				3 200 m				3 600 m				
CAT-1	FULL	375																
	ALS INOP	(200)																
LOC	FULL	950																
	ALS INOP	(775)																

Knots	60	90	120	150	180		
	Rate of descent	V/V	fpm	323	485	646	808

* Timing NOT authorized for defining the MAPt
* Circling not authorized

Change : Information of fix name(LENON → ALDON).

AERONAUTICAL DATA TABULATION

ILS/LOC Z Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
	ALDON(IAF)	36°56'46.3"N 129°35'23.0"E
	TL041(SDF)	36°58'07.9"N 129°29'46.5"E
	UMNAE(IF) BRG 170.91° / 10.3 NM IUJS	36°56'38.6"N 129°23'49.1"E
	5.7D IUJS(FAF) BRG 170.93° / 5.7 NM IUJS	36°52'20.0"N 129°25'29.6"E
	4.1D IUJS(SDF LOC Only) BRG 170.95° / 4.1 NM IUJS	36°50'50.7"N 129°26'04.2"E
	2.0D IUJS(MAPt LOC Only) BRG 170.95° / 2.0 NM IUJS	36°48'50.3"N 129°26'50.9"E
	THR RWY 17	36°47'05.09"N 129°27'31.62"E
	UJN VORTAC	36°46'35.2"N 129°27'26.9"E
	TL045	36°41'52.3"N 129°29'32.6"E
	BANYA	36°40'12.4"N 129°40'05.8"E

Change : Information of fix name(LENON → ALDON).

INSTRUMENT APPROACH CHART - ICAO


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45


ULJIN/ULjin(RKTL)
ILS Y or LOC Y RWY 17

Note : Approach under ICAO Flight Procedures.

129°30'E



RECOMMENDED PROFILE(LOC ONLY)	DME IUJS	5	4	3	2
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 777 (1 602)	1 455 (1 280)	1 132 (957)	810 (635)



CATEGORY	DA(H)/MDA(H)	A	B	C	D
CAT-1	FULL	375	800 m		
	ALS INOP	(200)	1 200 m		
LOC	FULL	950	3 200 m		
	ALS INOP	(775)	3 600 m		

STA	CAT-1	FULL	375	800 m	Knots	60	90	120	150	180
		ALS INOP	(200)	1 200 m	Rate of descent	V/V	323	485	646	808
	LOC	FULL	950	3 200 m	fpm					
		ALS INOP	(775)	3 600 m						

* Timing NOT authorized for defining the MAPt
* Circling not authorized

Change : Information of fix name(LENON → ALDON).

AERONAUTICAL DATA TABULATION

ILS/LOC Y Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 040 UJN/ 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
11.7D IUJS(IF)	BRG 170.91° / 11.71 NM IUJS	36°58'06.9"N 129°23'14.8"E
9.0D IUJS(SDF)	BRG 170.91° / 9.00 NM IUJS	36°55'31.8"N 129°24'15.1"E
5.7D IUJS(FAF)	BRG 170.93° / 5.66 NM IUJS	36°51'46.1"N 129°25'42.7"E
4.1D IUJS(SDF LOC Only)	BRG 170.95° / 4.10 NM IUJS	36°50'50.7"N 129°26'04.2"E
2.0D IUJS(MAPt LOC Only)	BRG 170.95° / 2.00 NM IUJS	36°48'50.3"N 129°26'50.9"E
THR RWY 17		36°47'05.09"N 129°27'31.62"E
UJN VORTAC		36°46'35.2"N 129°27'26.9"E
D5 UJN	R 171 UJN/ 5.00 NM UJN	36°41'52.3"N 129°29'32.6"E
BANYA	R 130 UJN/ 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

Change : Information of fix name(LENON → ALDON).

**INSTRUMENT
APPROACH
CHART - ICAO**



AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
ULJIN	TWR	317.65
		118.55
		317.45

**ULJIN/ULjin(RKTL)
RNP RWY 17**

Note : Approach under ICAO Flight Procedures.

129°30'E



CATEGORY		DA(H)/MDA(H)	A	B	C	D
STA	LNAV/VNAV	FULL	690 (515)	2 000 m		
		ALS INOP		2 400 m		
	LNAV	FULL	960 (785)	3 200 m		
		ALS INOP		3 600 m		

Rate of descent	V/V fpm	60	90	120	150	180
		362	543	725	906	1 087

* Timing NOT authorized for defining the MAPt
* Circling not authorized

Change : Information of fix name(LENON → ALDON).

Instrument approach Procedure Coding Tables

■ RNP RWY 17 - via ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	ALDON	-	-	-	-	+6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	IAF
002	TF	TL041	-	295(286.9)	4.7	-	+4 500	-	36°58'07.9"N 129°29'46.5"E	-	RNP APCH	SDF
003	TF	UMNAE	-	261(252.7)	5.0	-	+3 200	-	36°56'38.6"N 129°23'49.1"E	-	RNP APCH	IF
004	TF	TL043	-	171(162.7)	5.1	-	+2 000	-	36°51'46.1"N 129°25'42.7"E	-	RNP APCH	FAF
005	TF	RW170	Y	171(162.7)	4.9	-	+960	-	36°47'05.09"N 129°27'31.62"E	-3.41/50	RNP APCH	MAPt
006	TF	TL045	-	171(162.7)	5.5	-	-	-	36°41'52.3"N 129°29'32.6"E	-	RNP APCH	-
007	HM	BANYA	-	109(101.0)	8.7	-	@6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 min (outbound timing)

Change : Information of fix name(LENON → ALDON).

**INSTRUMENT
APPROACH
CHART - ICAO**


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
ULJIN	TWR	118.55
		317.45


**ULJIN/ULjin(RKTL)
VOR RWY 17**

Note : Approach under ICAO Flight Procedures.

129°30'E




NOTE
1. DME required on a VOR approach.



129°20'E

TRANSITION ALT 14 000
TRANSITION LVL FL 140

RECOMMENDED PROFILE		DME UJN			
Final Approach Gradient 5.30%, 323 ft/NM		5	4	3	2.5
ALT(HGT)		1 680 (1 505)	1 360 (1 184)	1 034 (859)	879 (704)



CATEGORY	MDA(H)	A	B	C	D	Rate of descent V/V fpm	Knots				
							60	90	120	150	180
STA	FULL	940	3 200 m				323	485	646	808	970
	ALS INOP	(765)	3 600 m				* Timing NOT authorized for defining the MAPt * Circling not authorized				

Change : Information of fix name(LENON → ALDON).

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 040 UJN/ 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
12.0D UJN(IF)	BRG 180.27° / 12.00 NM UJN	36°58'28.9"N 129°25'22.0"E
6.0D UJN(FAF)	BRG 180.27° / 6.00 NM UJN	36°52'32.1"N 129°26'24.4"E
4.0D UJN(SDF)	BRG 180.27° / 4.00 NM UJN	36°50'33.0"N 129°26'45.4"E
2.2D UJN(MAPt)	BRG 180.27° / 2.20 NM UJN	36°48'45.7"N 129°27'04.1"E
THR RWY 17	Final Approach Descent Angle 3°	36°47'05.09"N 129°27'31.62"E
UJN VORTAC		36°46'35.2"N 129°27'26.9"E
D3 UJN	R 170 UJN/ 3.00 NM UJN	36°43'44.4"N 129°28'38.6"E
BANYA	R 130 UJN/ 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

Change : Information of fix name(LENON → ALDON).



**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJIN	ARR	120.875
ULJIN	TWR	317.65
		118.55
		317.45

ULJIN/ULjin(RKTL)
ILS Z or LOC Z RWY 35

Note : Approach under ICAO Flight Procedures.



CATEGORY	DA(H)/MDA(H)	A				B				C				D			
		RVR 550 m, VIS 800 m				1 200 m				1 500 m				2 200 m			
STA	CAT-1 (CG 2.5%)	FULL	511 (353)	1 100 m				1 800 m				RVR 550 m, VIS 800 m					
		ALS INOP	391 (233)	1 200 m				1 500 m				2 200 m					
LOC	CAT-1 (CG 4.0%)	FULL	580 (422)	1 500 m				2 200 m				Rate of descent					
		ALS INOP	580 (422)	2 200 m				Knots				V/V fpm					

* Timing NOT authorized for defining the MAPt
* Circling not authorized

Change : Information of fix name(LENON → ALDON).

AERONAUTICAL DATA TABULATION

ILS/LOC Z Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 130 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
TL051(SDF)	BRG 261.04°	36°37'30.8"N 129°37'21.1"E
HUPHO(IF)	BRG 350.99°/10.65 NM UJN	36°36'07.0"N 129°31'45.8"E
5.1D IUJN(FAF)	BRG 350.97°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
1.3D IUJN (MAPT LOC Only)	BRG 350.95°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35		36°46'09.33"N 129°27'53.20"E
UJN VORTAC		36°46'35.2"N 129°27'26.9"E
TL056		36°48'33.0"N 129°26'57.6"E
ALDON		36°56'46.3"N 129°35'23.0"E

Change : Information of fix name(LENON → ALDON).

**INSTRUMENT
APPROACH
CHART - ICAO**


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJIN	ARR	120.875
ULJIN	TWR	317.65
		118.55
		317.45

**ULJIN/ULjin(RKTL)
ILS Y or LOC Y RWY 35**

Note : Approach under ICAO Flight Procedures.

129°30'E



RECOMMENDED PROFILE(LOC ONLY)		DME IJUN	5	4	3	2	1.3	MISSED APPROACH Climb straight ahead until IJUN D2, then turn right to ALDON and hold at 6 000 ft.
Final Approach Gradient 5.31%, 323 ft/NM		ALT(HGT)	1 774 (1 616)	1 451 (1 293)	1 128 (970)	805 (647)	579 (421)	
		TRANSITION ALT 14 000 TRANSITION LVL FL 140						
		VORTAC UJN						
		DME (LOC ONLY) MAPt IJUN D1.3						
		(LOC ONLY) FAF IJUN D5.1						
		GP3.0°						
		ILS RDH 50 THR ELEV 158						
		THR RWY 35						
		2 NM						
		5 NM						
		11 NM						
		NM FROM THR RWY 35						

CATEGORY	DA(H)/MDA(H)	A	B	C	D	Rate of descent					
						Knots	60	90	120	150	180
CAT-1 (CG 2.5%)	FULL	511 (353)	1 100 m			V/V	322	483	644	805	966
	ALS INOP		1 800 m			fpm					
CAT-1 (CG 4.0%)	FULL	391 (233)	RVR 550 m, VIS 800 m								
	ALS INOP		1 200 m								
LOC	FULL	580 (422)	1 500 m								
	ALS INOP		2 200 m								

Change : Information of fix name(LENON → ALDON).

ULJIN / Ujjin(RKTL)
ILS Y or LOC Y RWY 35

AERONAUTICAL DATA TABULATION

ILS/LOC Y Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 130 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
11.6D IUJN(IF)	BRG 350.99°/11.63 NM IUJN	36°35'10.5"N 129°32'07.5"E
5.1D IUJN(FAF)	BRG 350.97°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
1.3D IUJN(MAPT LOC Only)	BRG 350.95°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35		36°46'09.33"N 129°27'53.20"E
UJN VORTAC		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 351 UJN/2.00 NM UJN	36°48'33.0"N 129°26'57.6"E
ALDON	R 040 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

Change : Information of fix name(LENON → ALDON).

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft


ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)

RNP RWY 35


Note : Approach under ICAO Flight Procedures.

129°30'E




NOTE
1. RNP 0.3 required.
2. Baro-VNAV N/A below -20°C or above 45°C.

ELEV, ALT IN FEET
DIST IN NM
BRG ARE MAG
VAR 8° W



MISSED APPROACH
Climb to 6 000 ft on track of 351° to TL055,
then turn right on track of 063° to ALDON.
Hold as published.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



CATEGORY		DA(H)/MDA(H)	A	B	C	D
STA	LNAV/VNAV	FULL	700 (542)	2 200 m		
		ALS INOP		2 900 m		
	LNAV (CG3.0%)	FULL	760 (602)	2 100 m		
		ALS INOP		2 800 m		

Rate of descent	V/V fpm	318	478	637	796	955
* Timing NOT authorized for defining the MAPt						
* Circling not authorized						

Change : Information of fix names(LENON → ALDON, GOMOK → LIDPA).

ULJIN/ULjin(RKTL)

RNP RWY 35

Instrument approach Procedure Coding Tables

RNP RWY 35 - via BANYA(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	BANYA	-	-	-	-	+6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	IAF
002	TF	TL051	-	228(219.4)	3.5	-	+5 000	-	36°37'30.8"N 129°37'21.1"E	-	RNP APCH	SDF
003	TF	HUPHO	-	261(252.8)	4.7	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
004	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
005	TF	RW350	Y	351(342.7)	5.0	-	+930	-	36°46'09.33"N 129°27'53.20"E	-3.0/50	RNP APCH	MAPt
006	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
007	HM	ALDON	-	063(055.0)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1/MIN (outbound timing)

RNP RWY 35 - via LIDPA(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	LIDPA	-	-	-	-	+5 000	-	36°31'13.6"N 129°33'38.6"E	-	RNP APCH	IAF
002	TF	HUPHO	-	351(342.8)	5.1	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
003	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
004	TF	RW350	Y	351(342.7)	5.0	-	+930	-	36°46'09.33"N 129°27'53.20"E	-3.0/50	RNP APCH	MAPt
005	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
006	HM	ALDON	-	063(055.0)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1/MIN (outbound timing)

Change : Information of fix names(LENON → ALDON, GOMOK → LIDPA).

**INSTRUMENT
APPROACH
CHART - ICAO**


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJIN	ARR	120.875
ULJIN	TWR	317.65
		118.55
		317.45

**ULJIN/ULjin(RKTL)
VOR RWY 35**


Note : Approach under ICAO Flight Procedures.

129°30'E



129°40'E 129°50'E

RECOMMENDED PROFILE	DME UJN	5	4	3	2	MISSED APPROACH
Final Approach Gradient 5.29%, 322 ft/NM	ALT(HGT)	1 639 (1 481)	1 317 (1 159)	995 (873)	673 (515)	Climb on R 162 UJN to UJN and R 356 UJN to 2 DME, then turn right to ALDON and hold at 6 000 ft.



CATEGORY	MDA(H)	A	B	C	D	Rate of descent
FULL	600 (442)		2 000 m			V/V fpm
ALS INOP			2 700 m			

Knots	60	90	120	150	180
V/V fpm	322	483	644	805	966

* Timing NOT authorized for defining the MAPt
* Circling not authorized

Change : Information of fix name(LENON → ALDON).

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 130 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
12.0D UJN(IF)	BRG 342.27°/12.00 NM UJN	36°35'46.8"N 129°33'59.3"E
5.5D UJN(FAF)	BRG 342.27°/6.30 NM UJN	36°41'38.1"N 129°30'26.8"E
2.0D UJN(MAPt)	BRG 342.27°/2.40 NM UJN	36°44'47.2"N 129°28'32.4"E
THR RWY 35	Final Approach Descent Angle 3°	36°46'09.33"N 129°27'53.20"E
UJN VORTAC		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 356 UJN/2.00 NM UJN	36°48'32.7"N 129°26'55.9"E
ALDON	R 040 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

Change : Information of fix name(LENON → ALDON).