


**STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO**

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

SACHEON APP 135.4  
YEOSU TWR 122.5  
240.9

**YEOSU/Yeosu (RKJY)  
RWY 17  
RNAV TEDAN 1D  
RNAV GOSBO 1D**

Note : Arrival under ICAO Flight Procedures.



YEOSU/Yeosu (RKJY)

RWY 17

RNAV TEDAN 1D, RNAV GOSBO 1D  
HOLDING PROCEDURE

## AERONAUTICAL DATA TABULATION

## Standard Instrument Arrival Procedure Coding Tables

## RNAV TEDAN 1D

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates            | VPA/TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|------------------------|---------|--------------------------|---------|
| 001           | IF              | TEDAN               | -        | -                   | -             | -              | -             | -          | 350743.8 N 1271852.1 E | -       | RNAV 1                   | -       |
| 002           | TF              | YEONA               | -        | 162(155.1)          | 11.7          | -              | +5 000        | -          | 345703.8 N 1272452.1 E | -       | RNAV 1                   | IAF     |

## RNAV GOSBO 1D

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates            | VPA/TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|------------------------|---------|--------------------------|---------|
| 001           | IF              | GOSBO               | -        | -                   | -             | -              | -             | -          | 341516.8 N 1274734.4 E | -       | RNAV 1                   | -       |
| 002           | TF              | HANSU               | -        | 343(335.7)          | 14.6          | -              | @9 000        | -          | 342836.0 N 1274019.0 E | -       | RNAV 1                   | -       |
| 003           | TF              | KODOL               | -        | 343(336.0)          | 10.3          | -              | @9 000        | -          | 343803.0 N 1273514.0 E | -       | RNAV 1                   | -       |
| 004           | TF              | DANDO               | -        | 343(336.1)          | 10.8          | -              | @7 000        | -          | 344756.0 N 1272955.0 E | -       | RNAV 1                   | -       |
| 005           | TF              | BUGYO               | -        | 343(336.0)          | 4.9           | -              | @5 000        | -          | 345226.0 N 1272729.0 E | -       | RNAV 1                   | -       |
| 006           | TF              | YEONA               | -        | 342(335.1)          | 5.1           | -              | +5 000        | -          | 345703.8 N 1272452.1 E | -       | RNAV 1                   | IAF     |

## HOLDING PROCEDURE

| Holding Identification | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Time (min) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates            | VPA/TCH | Navigation specification | Remarks |
|------------------------|-----------------|---------------------|----------|---------------------|------------|----------------|---------------|------------|------------------------|---------|--------------------------|---------|
| RNAV TEDAN 1D          | HM              | YEONA               | Y        | 310(302.8)          | 1          | L              | @5 000        | -200       | 345703.8 N 1272452.1 E | -       | RNAV 1                   | -       |
| RNAV GOSBO 1D          | HM              | YEONA               | Y        | 310(302.8)          | 1          | L              | @5 000        | -200       | 345703.8 N 1272452.1 E | -       | RNAV 1                   | -       |


**STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO**

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

SACHEON APP 135.4  
YEOSU TWR 122.5  
240.9

**YEOSU/Yeosu (RKJY)**  
RWY 35  
RNAV TEDAN 3C  
RNAV GOSBO 5C

Note : Arrival under ICAO Flight Procedures.



**NOTE**

1. RNAV 1 operation
2. GNSS required
3. ATS surveillance service required

Change : MSA.

YEOSU/Yeosu (RKJY)

RWY 35

RNAV TEDAN 3C, RNAV GOSBO 5C

HOLDING PROCEDURE

## AERONAUTICAL DATA TABULATION

## Standard Instrument Arrival Procedure Coding Tables

## RNAV TEDAN 3C

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance<br>(NM) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates            | VPA/<br>TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|------------------------|------------------|----------------|------------------|---------------|------------------------|-------------|--------------------------|---------|
| 001           | IF              | TEDAN               | -        | -                      | -                | -              | -                | -             | 350743.8 N 1271852.1 E | -           | RNAV 1                   | -       |
| 002           | TF              | SOLAN               | -        | 164(157.2)             | 14.7             | -              | @9 000           | -             | 345410.0 N 1272548.0 E | -           | RNAV 1                   | -       |
| 003           | TF              | SEHEE               | -        | 165(157.3)             | 10.3             | -              | +8 000           | -             | 344437.0 N 1273039.0 E | -           | RNAV 1                   | -       |
| 004           | TF              | PONTY               | -        | 165(157.3)             | 9.6              | -              | @5 000           | -             | 343546.2 N 1273507.9 E | -           | RNAV 1                   | -       |
| 005           | TF              | SOONA               | -        | 075(067.3)             | 7.0              | -              | +4 000           | -             | 343827.5 N 1274256.0 E | -           | RNAV 1                   | IAF     |

## RNAV GOSBO 5C

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance<br>(NM) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates            | VPA/<br>TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|------------------------|------------------|----------------|------------------|---------------|------------------------|-------------|--------------------------|---------|
| 001           | IF              | GOSBO               | -        | -                      | -                | -              | -                | -             | 341516.8 N 1274734.4 E | -           | RNAV 1                   | -       |
| 002           | TF              | JY751               | -        | 358(350.6)             | 9.3              | -              | -6 000           | -             | 342425.6 N 1274544.8 E | -           | RNAV 1                   | -       |
| 003           | TF              | SOONA               | -        | 358(350.6)             | 14.2             | -              | +4 000           | -             | 343827.5 N 1274256.0 E | -           | RNAV 1                   | IAF     |

## HOLDING PROCEDURE

| Holding Identification | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Time<br>(min) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates            | VPA/<br>TCH | Navigation specification | Remarks |
|------------------------|-----------------|---------------------|----------|------------------------|---------------|----------------|------------------|---------------|------------------------|-------------|--------------------------|---------|
| RNAV TEDAN 3C          | HM              | SOONA               | Y        | 345(338.5)             | 1             | L              | -4000<br>+5000   | -200          | 343827.5 N 1274256.0 E | -           | RNAV 1                   | -       |
| RNAV GOSBO 5C          | HM              | SOONA               | Y        | 345(338.5)             | 1             | L              | -4000<br>+5000   | -200          | 343827.5 N 1274256.0 E | -           | RNAV 1                   | -       |