


STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

JEJU APP 124.05  
JEONGSEOK TWR 124.35

JEJU/Jeongseok(RKPD)  
RWY 19  
RNAV CJU 15



**GENERAL INFORMATION**

1. CJU 1S : 5.9% climb gradient required to 9 000 ft for ATC purpose and avoiding OBST.
2. If unable to comply with flight restrictions or RNAV 1, advise ATC before departure for alternatives.
3. Departure turn limited to 210 kt IAS maximum until PD814.
4. Within JEJU TMA, maximum 250 kt IAS below 10 000 ft.

**RNAV CJU ONE SIERRA DEPARTURE :** PD811 - PD 812 - PD813 - PD814 - CJU

JEJU/Jeongseok AD(RKPD)  
RWY 19  
RNAV CJU 1S

## AERONAUTICAL DATA TABULATION

## Standard Instrument Arrival Procedure Coding Tables

## RNAV CJU 1S

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates          | VPA/TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------|---------|--------------------------|---------|
| 001           | CF              | PD811               | -        | 187(179.7)          | 8.4           | -              | -             | -210       | 331436.2N 1264244.6E | -       | RNAV 1                   | -       |
| 002           | TF              | PD812               | -        | 252(245.1)          | 6.0           | -              | -             | -210       | 331205.0N 1263617.4E | -       | RNAV 1                   | -       |
| 003           | TF              | PD813               | -        | 312(305.0)          | 5.2           | -              | -             | -210       | 331504.4N 1263112.8E | -       | RNAV 1                   | -       |
| 004           | TF              | PD814               | -        | 012(005.0)          | 5.2           | -              | -             | -210       | 332015.8N 1263145.3E | -       | RNAV 1                   | -       |
| 005           | TF              | CJU                 | -        | 066(059.5)          | 5.5           | -              | @9 000        | -          | 332304.6N 1263726.8E | -       | RNAV 1                   | -       |


Change : Page control.

STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

JEJU APP 119.225  
JEONGSEOK TWR 124.35

JEJU/Jeongseok(RKPD)  
RWY 19  
GUDUL 1A



**GENERAL INFORMATION**

1. Minimum climb gradient 6.3% to 6 000 ft for ATC purpose and avoiding OBST.
2. If unable to comply with restrictions, advise ATC before departure for alternatives.
3. Departure turn limited to 210 kt IAS maximum.
4. Within JEJU TMA, maximum 250 kt IAS below 10 000 ft.

**GUDUL ONE ALPHA DEPARTURE**

**TAKE OFF RWY 19 :** Climb on RWY HDG until JDG D3, turn left HDG 015° to intercept R 085 JDG.

proceed to GUDUL at 6 000 ft, then as directed by ATC. Reach at 6 000 ft until passing JDG D8.

Maintain 6 000 ft until instructed by ATC.

Change : Information of lead radial and Page control.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 2/17  
Effective : 1600UTC 29 MAR 2017

**INTENTIONALLY**

**LEFT**

**BLANK**