


**STANDARD
ARRIVAL CHART
INSTRUMENT(STAR) - ICAO**

Note : Arrival under ICAO flight Procedures.

TRANSITION ALT 14 000
TRANSITION LVL FL 140

POHANG APP 122.550
317.65
ULJIN TWR 118.55
317.45

**ULJIN/ULjin(RKTL)
RWY 17
RNAV NOBUT 1J
RNAV LOSTO 1J**



ULJIN/ULjin(RKTL)
RWY 17
RNAV NOBUT 1J
RNAV LOSTO 1J

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

RNAV NOBUT 1J

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	NOBUT	-	-	-	-	-	-	370715.1 N 1291956.6 E	-	RNAV 1	-
002	TF	TL001	-	172(163.7)	5.5	-	@10 000	-	370157.9 N 1292152.1 E	-	RNAV 1	-
003	HM	LENON	-	124(115.5)	12.0	-	+6 000	-	365646.3 N 1293523.0 E	-	RNAV 1	IAF

RNAV LOSTO 1J

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	LOSTO	-	-	-	-	-	-	362015.8 N 1292548.3 E	-	RNAV 1	-
002	TF	TL011	-	038(030.0)	1.0	-	@9 000	-	362856.0 N 1293200.2 E	-	RNAV 1	-
003	TF	TL012	-	038(030.1)	7.7	-	+8 000	-	363534.5 N 1293646.2 E	-	RNAV 1	-
004	TF	TL013	-	005(357.0)	11.2	-	+7 000	-	364646.3 N 1293602.3 E	-	RNAV 1	-
005	HM	LENON	-	005(357.0)	10.0	-	+6 000	-	365646.3 N 1293523.0 E	-	RNAV 1	-

Change : New procedure.


STANDARD ARRIVAL CHART
INSTRUMENT(STAR) - ICAO

TRANSITION ALT 14 000
TRANSITION LVL FL 140

POHANG APR 122.550
317.65
ULJIN TWR 118.55
317.45

ULJIN/ULjin(RKTL)
RWY 17
NOBUT 2D
LOSTO 2D

Note : Arrival under ICAO flight Procedures.



Change : Flight information.

INTENTIONALLY

LEFT

BLANK


STANDARD ARRIVAL CHART
INSTRUMENT(STAR) - ICAO

TRANSITION ALT 14 000
TRANSITION LVL FL 140

POHANG APP 122.550
317.65
ULJIN TWR 118.55
317.45

ULJIN/ULjin(RKTL)
RWY 35
RNAV NOBUT 1H
RNAV LOSTO 1H

Note : Arrival under ICAO flight Procedures.



ULJIN/ULjin(RKTL)
RWY 35
RNAV NOBUT 1H
RNAV LOSTO 1H

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

RNAV NOBUT 1H

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	NOBUT	-	-	-	-	-	-	370715.1 N 1291956.6 E	-	RNAV 1	-
002	TF	TL001	-	172(163.7)	5.5	-	@10 000	-	370157.9 N 1292152.1 E	-	RNAV 1	-
003	TF	TL002	-	142(133.7)	7.8	-	+9 000	-	365633.3 N 1292854.3 E	-	RNAV 1	-
004	TF	TL003	-	142(133.8)	5.0	-	+8 000	-	365305.2 N 1293324.1 E	-	RNAV 1	-
005	TF	TL004	-	142(133.9)	5.5	-	+6 000	-	364915.2 N 1293821.7 E	-	RNAV 1	-
006	HM	BANYA	-	179(171.2)	9.1	-	+6 000	-	364012.4 N 1294005.8 E	-	RNAV 1	IAF

RNAV LOSTO 1H


Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	LOSTO	-	-	-	-	-	-	362015.8 N 1292548.3 E	-	RNAV 1	-
002	TF	TL011	-	038(030.0)	10.0	-	@9 000	-	362856.1 N 1293200.1 E	-	RNAV 1	-
003	HM	BANYA	-	038(030.0)	13.0	-	+6 000	-	364012.4 N 1294005.8 E	-	RNAV 1	IAF

TRANSITION ALT	14 000
TRANSITION LVL	FL 140

POHANG	APP	122.550
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/Uljín(RKTL)
RWY 35
NOBUT 2C
LOSTO 2C

Note : Arrival under ICAO flight Procedures.



INTENTIONALLY

LEFT

BLANK